L Number	Mits	Search Text	DB	Time stamp
- Number	50	("5440559"	USPAT	2003/03/17 18:35
1		"5929771"	001111	2000,00,27
91	Di. [/	"6026333"	:	
1 1. 1	indy	"6292830"		
911		"6198696"		
' (		"5337044"	İ	
		"5630224"		
1	!	"5649210"		
		"5689669"	•	
		"5794245"		
		"5799194"		
		"5822600"		
		"5884323"		
		"5896133" "5920728"		
		"5959435" ·		
		"600000"	•	
		"6000003"		
	İ	"6070140"	:	
		"6233689" "6243335"		
		"6243325"		
		"4819162"		
		"5006985"		
		"5243331"		
		"5457476"		j
		"5625377"		
		"5899979"		·
		"4551620"	ļ	
		"5251259"	-	
		"5452417"	İ	
		"5471575"		
1		"5519606"		
		"5534911"	!	
		"5594638"		
		"5614940"		
		"5675786"		
		"5703919"	}	
		"5701894"		
		"5711297"		
		"5724968"		
		"5761646"		
		"5778346"		
		"5818510"		
		"5920824"		
		"5995454"		
		"6009413",		
		"6052119"		
		"6052372"		
	1	"6194867"		
		"6205135").pn.		
-	3	5625377.URPN.	USPAT	2003/03/17 16:52
-		(organiz\$3 or group or categor\$5) with (data	USPAT	2003/03/17 18:41
		or input or information) with (time or date)		, ,
-	575	((organiz\$3 or group or categor\$5) with	USPAT	2003/03/17 18:37
		(data or input or information) with (time or		, , = : = : : :
		date)) with computer		
-	605	((organiz\$3 or group or categor\$5) with	USPAT	2003/03/17 18:38
	-	(data or input or information) with (time or		, =, = ====
		date)) with (computer pr pda or portable)		
-	599	((organiz\$3 or group or categor\$5) with	USPAT	2003/03/17 18:38
Kevipa		(data or input or information) with (time or		
y y p	~	date)) with (computer or pda or portable)		
1- ain	( 24)	(((organiz\$3 or group or categor\$5) with	USPAT	2003/03/17 18:39
' '		(data or input or information) with (time or		,,
		date)) with (computer or pda or portable))		
		same (initial or default)		
-	3926	(organiz\$3 or group or categor\$5) with (data	USPAT	2003/03/31 17:14
		or input or information) with (clock or		,,
		date)		
	I		L	i l

Elviphio 711			
- 5	(organiz\$3 or group or categor\$5) with (data or input or information) with (clock or	USPAT	2003/03/17 18:47
- 114	date) with (computer or pda pr palm or portable) with schedule (group or categor\$5) with (data or input or information) with (clock or date) with	USPAT	2003/03/18 10:40
- 105 105	(computer or pda pr palm or portable) (group or categor\$5) with (data or information or record) with (clock or date)	USPAT	2003/03/18 11:27
- xovioned 3	with (computer or pda or palm or portable) (display or view or show or present) with (data or information or record or category) with (default or initial) with (computer or	USPAT	2003/03/18 11:31
- 22 22	(data or information or record or category) with (default or initial) with (computer or	USPAT	2003/03/18 11:43
- 9 // (14)	pda or palm) with (date or time) (("4221974") or ("4604711") or ("4975828") or ("5615373") or ("5696973") or ("5790307")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/18 12:01
- 15846	(group or organize or place or sav\$3 or record or categor\$3) with (input or entry) with (time or date)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/18 12:06
364	(group or organize or place or sav\$3 or record or categor\$3) with (input or entry)	IBM_TDB USPAT; US-PGPUB;	2003/03/18 12:19
911	with (time or date) with (computer or palm or pda) with (group or set or category)	EPO; JPO; DERWENT; IBM_TDB	2002/02/10 10 00
- reviewed	((group or organize or place or sav\$3 or record or categor\$3) with (input or entry) with (time or date) with (computer or palm or pda) with (group or set or category)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/18 12:22
	705\$.ccls.  ((group or organize or place or sav\$3 or record or categor\$3) with (input or entry) with (time or date) with (computer or palm or pda) with (group or set or category)) with (default or initial)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/18 12:28
10 jours	default with (category or group) with (input or entry) with (palm or pda)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/18 12:32
	default with (category or group) with (input or entry) with (computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/18 12:37
- 91/ (25)	1999-131642.NRAN. default with (category or group) with (input or entry) with (computer or device or electronic or automated or client or cpu or processor)	IBM_TDB DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/18 12:35 2003/03/18 12:57
5-97 (102 5-77 rof (54)	708/212.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/03/18 13:02
- 9, 54	708/112.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/18 13:19

-		3325	(stor\$3 or record) with (data or input or	USPAT;	2003/03/18 14:21
			entry) with (date or time) with (default or initial)	US-PGPUB; EPO; JPO;	
	į.	review		DERWENT;	
1	a	1)	P <i>Ø</i>	IBM TDB	
l _	′	'/ ( <sub>11</sub> \	((stor\$3 or record) with (data or input or	USPAT;	2003/03/18 14:24
-		' ( ++ )	entry) with (date or time) with (default or		2003/03/18 14:24
		رز		US-PGPUB;	
		_	initial)) with (palm\$3 or pda or portable)	EPO; JPO;	
			•	DERWENT;	į.
			(1-62d	IBM_TDB	2002/02/10 15 02
-		0	(palm\$3 or pda or portable) with cetegor\$6	USPAT;	2003/03/18 15:03
		İ		US-PGPUB;	
				EPO; JPO;	
		i		DERWENT;	
		0	(nolm#2 on ndo ou noutoble) come cotonou#6	IBM_TDB	2002/02/10 14 25
-		"	(palm\$3 or pda or portable) same cetegor\$6	USPAT;	2003/03/18 14:25
				US-PGPUB;	
				EPO; JPO;	
				DERWENT;	
1			(3633	IBM_TDB	0000 (00 (00 00
-		0	(palm\$3 or pda or portable) with	USPAT;	2003/03/18 14:26
			informataion with nanager	US-PGPUB;	
1				EPO; JPO;	
				DERWENT;	
		_	informatain with management	IBM_TDB	2002/02/20 2: 52
-		0	informataion with nanager	USPAT;	2003/03/18 14:26
			·	US-PGPUB;	
				EPO; JPO;	
				DERWENT;	
			/	IBM_TDB	0000/00/10 11 05
-		0	(palm\$3 or pda or portable) with information	USPAT;	2003/03/18 14:26
			with nanager	US-PGPUB;	
				EPO; JPO;	!
	,			DERWENT;	
				IBM_TDB	
-		3	5625377.URPN.	USPAT	2003/03/18 14:29
-		0	(handheld) with cetegor\$6	USPAT;	2003/03/18 15:06
				US-PGPUB;	
				EPO; JPO;	
				DERWENT;	
			/a.,	IBM_TDB	
-		17965	(determin\$6 or find or calculat\$5) with time	USPAT;	2003/03/18 15:13
			with (data or information or input or	US-PGPUB;	
			record) with (categor\$6 or group or set or	EPO; JPO;	
			cluster)	DERWENT;	
		1706	(not an appair on about 13-5-13)	IBM_TDB	2002/02/20 17 5
-		17064	(set or specify or choose) with (default or	USPAT;	2003/03/18 15:25
			initial) with (category or group or set)	US-PGPUB;	
			with (date or time)	EPO; JPO;	
]	:			DERWENT;	
		1004	(Idotormines on find on animal-tan)	IBM_TDB	2002/02/10 15 55
-		1284	((determin\$6 or find or calculat\$5) with	USPAT;	2003/03/18 15:25
İ			time with (data or information or input or	US-PGPUB;	
l			record) with (categor\$6 or group or set or	EPO; JPO;	
1			cluster) ) and ((set or specify or choose)	DERWENT;	
			with (default or initial) with (category or	IBM_TDB	
		1.0	group or set) with (date or time))	HODAG	2002/02/22 22 22
_		160	(((determin\$6 or find or calculat\$5) with	USPAT;	2003/03/18 15:17
		[	time with (data or information or input or	US-PGPUB;	
		, ,	record) with (categor\$6 or group or set or	EPO; JPO;	
	K9	Viewer	<pre>/cluster) ) and ((set or specify or choose) with (default or initial) with (category or</pre>	DERWENT;	
	$\alpha$ .	, - ~		IBM_TDB	
	4 )		group or set) with (date or time))) and		
	′	11 ( - 7	(palm or portable or pda or handheld)	IICDAM.	2002/02/10 15 52
-		59	(set or specify or choose) with (default or	USPAT;	2003/03/18 15:59
			initial) with (category or group or set)	US-PGPUB;	
			with (date or time) same (portable or palm	EPO; JPO;	
			or pda or handheld)	DERWENT;	
		l		IBM_TDB	

-		2	("5390281").PN.	USPAT;	2003/03/18	16:10
		110		US-PGPUB;		
		$\Psi_{\nu_1\rho_1}$		EPO; JPO;		
	رات (	1/	$\mathcal{Q}_{\mathscr{A}}$	DERWENT;		
	1	///		IBM TDB		
_		12	(("5050105") or ("5063600") or ("5070470")	USPAT;	2003/03/18	16:28
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	or ("5129057") or ("5247438") or	US-PGPUB;	2003,03,10	20.20
		$\sim$	("5307086")).PN.	EPO; JPO;		
			("530/086")).PN.			
				DERWENT;		
				IBM_TDB		
-		21	5247438.URPN.	USPAT	2003/03/18	
-		21	5247438.URPN.	USPAT	2003/03/18	16:21
_		21	5247438.URPN.	USPAT	2003/03/18	16:21
_	ľ	1	1993-311864.NRAN.	DERWENT	2003/03/18	
_		119	spurgeon-\$.in.	USPAT;	2003/03/18	
		113	spargeon 4.1	US-PGPUB;		
				EPO; JPO;		
	1				:	
	1			DERWENT;		
	İ			IBM_TDB		
-		15	spurgeon-\$.in. and exchange	USPAT;	2003/03/18	16:29
				US-PGPUB;		
				EPO; JPO;		
	ŀ			DERWENT;		
				IBM TDB		
_		5	(("5983200") or ("6108640")).PN.	USPAT;	2003/03/31	17:17
	ĺ	5		US-PGPUB;		-//
				EPO; JPO;		
			•			
		;		DERWENT;		
				IBM_TDB		
-		0	("(stor\$3 or sav\$3 or record) with input	USPAT;	2003/03/31	17:18
			with (categor\$5 or group or set)").PN.	US-PGPUB;		
				EPO; JPO;		
	Ì			DERWENT;		
				IBM TDB		
		31438	(stor\$3 or sav\$3 or record) with input with	USPAT;	2003/03/31	17:21
		31130	(categor\$5 or group or set)	US-PGPUB;		
	Ī		(categorys or group or bee)	EPO; JPO;		
				DERWENT;		
		2222	(/	IBM_TDB	2002/02/21	17.00
-		8022	((stor\$3 or sav\$3 or record) with input with	USPAT;	2003/03/31	17:22
			(categor\$5 or group or set)) with (computer	US-PGPUB;		
			or device or database)	EPO; JPO;		
			1	DERWENT;		
				IBM_TDB		
	1	252	(((stor\$3 or sav\$3 or record) with input	USPAT;	2003/03/31	17:23
	ł	1	with (categor\$5 or group or set)) with	US-PGPUB;		
	77	5000	(computer or device or database)) same	EPO; JPO;		
	J	The Upp	(initial or default)	DERWENT;		
	السرا		(IIIIIII OI GOIGGIO)	IBM TDB		
	G	7 (86)	////stores or sayes or record) with input	USPAT;	2003/04/01	11.04
-	' 1	/ ( 80 )	((((stor\$3 or sav\$3 or record) with input	US-PGPUB;	2003/04/01	11:04
		′\/	with (categor\$5 or group or set)) with			
		$\checkmark$	(computer or device or database)) same	EPO; JPO;		
			(initial or default)) same (time or date or	DERWENT;		
			clock)	IBM_TDB		
-		2	("5873108").PN.	USPAT;	2003/04/01	12:03
	l			US-PGPUB;		
	į			EPO; JPO;		
	ļ			DERWENT;		
	İ			IBM TDB		
_	İ	2	("6026333").PN.	USPAT;	2003/04/01	12:06
	. [	2		US-PGPUB;	3000,01,01	00
	ļ			EPO; JPO;		
	ļ					
				DERWENT;		
		=	("=====================================	IBM_TDB	0000/01/5	10 -
•		2	("5570109").PN.	USPAT;	2003/04/01	12:08
				US-PGPUB;		
	ŀ			EPO; JPO;		
				DERWENT;		



-	2	("4457476").PN.	USPAT;	2003/04/01 12:08
	<u> </u>		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
İ			IBM_TDB	
-	2	("5457476").PN.	USPAT;	2003/04/01 12:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	("calndar with defualt with (modify or edir	USPAT;	2003/04/01 12:10
		or change)").PN.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	, 0	calendar with defualt with (modify or edir	USPAT;	2003/04/01 12:10
		or change)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	